Psychopharmacologia

Managing Editors

H. Barry III J. O. Cole M. Hamilton E. Jacobsen R. W. Russell

Editorial Board

H. Barry III, Pittsburgh D. Bovet, Sassari J. O. Cole, Boston J. Delay, Paris J. Elkes, Baltimore M. Hamilton, Leeds H. Isbell, Lexington E. Jacobsen, København M. E. Jarvik, Los Angeles S. S. Kety, Boston C. Kornetsky, Boston R. W. Russell, Bedford Park M. Shepherd, London Hannah Steinberg, London E. Strömgren, Risskov A. Wikler, Lexington

Supporting Editors

M. Adler, Philadelphia N.-E. Andén, Göteborg J. Angst, Zürich J. B. Appel, Columbia, SC S. Barondes, La Jolla A. M. Barrett, Leeds H. Blaschko, Oxford D. Booth, Birmingham H. Brill, New York P. Carlton, New Brunswick C. K. Connors, Boston P. B. Dews, Boston A. DiMascio, Boston E. Domino, Ann Arbor J. C. Eccles, Buffalo U. S. von Euler, Stockholm A. Fessard, Paris M. Fink, New York S. Fisher, Boston R. Fog, Roskilde S. Garattini, Milano S. Gershon, New York S. C. Goldberg, Chevy Chase S. P. Grossman, Chicago L.-M. Gunne, Uppsala H. Hanson, West Point J. Harvey, Iowa City H. E. Hill, Lexington R. Hind, Cambridge H. Hippius, München L. E. Hollister, Palo Alto O. Hornykiewicz, Toronto E. Hosoya, Tokyo R. P. Hullin, Leeds S. Irwin, Portland J. Jaffe, Chicago W. Janke, Düsseldorf R. Jewett, Atlanta R. T. Jones, San Francisco M. Jouvet, Lyon C. R. B. Joyce, Basel D. Joyce, Perpignan M. Katz, Rockville, MD R. Kelleher, Boston K. F. Killam, Davis G. Klerman, Boston N. S. Kline, Orangeburg M. H. Lader, London I. P. Lapin, Leningrad L. Lasagna, Rochester V. G. Laties, Rochester A. Latz, Raanana, Israel O. Lingiærde, Tromsø R. Lipman, Rockville A. Lubin, San Diego E. Marley, London W. R. Martin, Lexington J. L. McGaugh, Irvine D. E. McMillan, Chapel Hill N. Mello, Washington A. F. Mirsky, Boston C. Niemegeers, Beerse S. Norton, Kansas City D. H. Overstreet, Bedford Park, S. Australia D. Overton, Philadelphia G. Pampiglione, London P. Pichot, Paris R. W. Pickens, Minneapolis A. Randrup, Roskilde D. Richter, Epsom K. Rickels, Philadelphia R. Rodnight, London J. M. Rose, Leeds R. T. Rubin, Los Angeles J. Scheel-Krüger, Roskilde J. Schildkraut, Boston C. Schuster, Chicago R. Shader, Boston C. Shagass, Philadelphia P. Silverman, Macclesfield, Ches. F. Sjöqvist, Stockholm J. R. Smythies, Edinburgh F. Sulser, Nashville R. Taber, Bloomfield J. Tecce, Boston T. Thompson, Minneapolis S. Udenfriend, Nutley, NJ H. Weil-Malherbe, Washington A. Weissman, Groton, CT T. Yanagita, Kawasaki E. Zaimis, London O. Zangwill, Cambridge



Springer-Verlag Berlin Heidelberg New York The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publishers.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer-Verlag Berlin Heidelberg New York

Printed in Germany by Wiesbadener Graphische Betriebe GmbH, Wiesbaden

© by Springer-Verlag Berlin Heidelberg 1974

Contents

Agué, C.: Cardiovascular Variables, Skin Conductance and Time Estimation Changes after the Administration of Small Doses of Nicotine	. 109
Baldwin, B. A., see Dantzer, R. Beaton, J. M., LeBlanc, A. E., Webster, C. D.: The Effects of d-Amphet amine on the Inter-Response Times of Rats and Guinea-Pigs on a Modified	1
Sidman Discriminated Ávoidance Schedule	199
Withdrawal	15
Withdrawal	995
Research C. P. see Conner R. P. et al.	025
Breese, G. R., see Cooper, B. R., et al.	100
Bridges, S. R., see Martin, W. R., et al.	
Buchwald, W. F., see Martin, W. R., et al.	188
Buus Lassen, J.: Evidence for a Noradrenergic and Dopaminergic Mechanism	
in the Hyperactivity Produced by 4,\alpha-Dimethyl-m-tyramine (H 77/77) in	
Rats	331
Carlier, E., Nowaczyk, T., Valatx, J. L., Juvancz, P.: Etude du sommeil du raton nouveau-né isolé de sa mère. Effets de l'alpha-methyl-Dopa. The Development of Sleep in Newborn Rats Separated from Its Mothers.	9
Effects of a Methyl Dona	205
Effects of α-Methyl-Dopa	200
Mice: Drug Interactions within Cannabinoids and Cannabinoid Inter-	
mice: Drug interactions within Cannabinoids and Cannabinoid inter-	OFF
actions with Phenytoin	255
Clark, D. L., see Jones, B. C., et al.	37
Cohen, M. J., Rickles, W. H., Jr.: Performance on a Verbal Learning Task by	-
Subjects of Heavy Past Marijuana Usage	323
Colasanti, B. K., Craig, C. R., Hartman, E. R.: Differential Effects of Pen-	
tylenetetrazol on REM Sleep in Naive and Cobalt-Epileptic Rats	151
Colombel, MC., see Jacob, J. J., et al	217
Consroe, P. F., see Jones, B. C., et al.	37
Cooper, B. R., Cott, J. M., Breese, G. R.: Effects of Catecholamine-Depleting	-
Drugs and Amphetamine on Self-Stimulation of Brain following Various	
6-Hydroxydopamine Treatments	
Cott, J. M., see Cooper, B. R., et al	235
Craig C. D. see Colosenti D. K. et al.	151
Craig, C. R., see Colasanti, B. K., et al.	250
Cytawa, J., see Trojniar, W., et al	399
Dantzer, R., Baldwin, B. A.: Effects of Chlordiazepoxide on Heart Rate and Behavioural Suppression in Pigs Subjected to Operant Conditioning	100
Procedures	169
Procedures	
Storage Deficits and State-Dependent Retrieval under Marihuana	139
Diaz, J., Ellison, G., Masuoka, D.: Opposed Behavioral Syndromes in Rats	
with Partial and More Complete Central Serotonergic Lesions Made with	
5.6-Dihydroxytryptamine	67
Dick, E. G., see Naylor, G. J., et al	81
Dick, D. A. T., see Naylor, G. J., et al	81
Dunner, D. L., Meltzer, H. L., Fieve, R. R.: Cerebrospinal Fluid Rubidium	-
Metabolism in Depression	7

Ellison, G., see Diaz, J., et al. Engel, J., Strömbom, U., Svensson, T. H., Waldeck, B.: Suppression by a-Methyltyrosine of Ethanol-Induced Locomotor Stimulation: Partial	275
Reversal by L-Dopa	210
pression of Tardive Dyskinesia	101
cannabinol on Delayed Matching-to-Sample in Chimpanzees Fieve, R. R., see Dunner, D. L., et al	127
of Rats	249
Chronic Ethanol Administration on Serotonin Turnover in Rat Brain Frydrychowski, A., see Trojniar, W., et al	91 359
Gerber, C. J., see Fann, W. E., et al	101
Slices Incubated with ³ H-Dopamine	341 59
Gittelman-Klein, R., see Saraf, K. R., et al	265 59
Grilly, D. M., see Ferraro, D. P	$\frac{127}{265}$
Haig, J. R., Schroeder, C. S., Schroeder, S. R.: Effects of Methylphenidate on	
Hyperactive Children's Sleep	185
Administration Forms	31
bility of Delta-9-Tetrahydrocannabinol in Rhesus Monkeys	23
	151 351
Jackson, D. M., see Chesher, G. B. Jacob, J. J., Tremblay, E. C., Colombel, MC.: Facilitation de réactions nociceptives par la naloxone chez la souris et chez le rat. Enhancement of	255
Nociceptive Reactions by Naxolone in Mice and Rats	217
James, L., see Wise, R. A	179
Neuroleptic Drugs and Tricyclic Antidepressants on Phosphodiesterase	351
Jones, B. C., Clark, D. L., Consroe, P. F., Smith, H. J.: Effects of (-) 1-trans-	901
Tetrahydrocannabinol on Social Behavior of Squirrel Monkey Dyads in a Water Competition Situation	37
	205
Kalant, H., see Frankel, D., et al	91 91
	265
Korczak-Dziuba, K., see Janiec, W., et al	351
Koyuncuoğlu, H.: The Effects of Chronic Reserpine and Nialamide Treatment on the Free Amino Acid Levels of Rat Brain	87
	101
al, H., see Wauquier, A., et al	303
Alcohol on Cognitive and Motor Skills Used in Car Driving	159
eBlanc, A. E., see Frankel, D., et al.	31 91
A. E., 800 F fallkel, D., & ut	01

Contents	v

	199 359
Martin, W. R., Sloan, J. W., Buchwald, W. F., Bridges, S. R.: The Demonstration of Tryptamine in Regional Perfusates of the Dog Brain	189
Masuoka, D., see Diaz, J., et al.	67
McKenzie, G. M., see Fann, W. E., et al.	101
McLendon, D., see Harris, R. T., et al.	23
McNair, D. M.: Self-Evaluations of Antidepressants	281
Meisch, R. A., Thompson, T.: Rapid Establishment of Ethanol as a Reinforcer	601
for Reta	311
for Rats	7
Moody I D see Newley C I stal	81
Moody, J. P., see Naylor, G. J., et al. Mormont, C.: Evaluation des effets psychologiques du Noveril simple et du	01
Noveril TR. Rating of Psychological Effects Induced by "Ordinary"	00=
	365
Naylor, G. J., Dick, D. A. T., Dick, E. G., Moody, J. P.: Lithium Therapy and	
Erythrocyte Membrane Cation Carrier	81
Nielsen, M., see Gerlach, J., et al	341
Niemegeers, C. J. E., see Wauquier, A., et al	303
Nowaczyk, T., see Carlier, E., et al	205
	1
Platz, P. A., see Reigle, T. G., et al.	_
Plotnikoff, N. P., see Reigle, T. G., et al.	1
	159
Van der Poel, A. M.: The Effect of Some Cholinolytic Drugs on a Number of	
Behavioural Parameters Measured in the T-Maze Alternation Test: Dose-	45
	45
	249
Porjesz, B., see Begleiter, H., et al	15
Post, R. M., Gillin, J. C., Wyatt, R. J., Goodwin, F. K.: The Effect of Orally	
_	59
Prott, F. W., see Landauer, A. A., et al	59
Randrup, A., see Gerlach, J., et al.	41
Randrup, A., see Gerlach, J., et al	
Norepinephrine Metabolism in the Rat Brain Following Acute and Chronic	
Administration of Thyrotropin Releasing Hormone	1
	23
	39
Rosenkrantz, H., see Stadnicki, S. W., et al.	25
Saraf, K. R., Klein, D. F., Gittelman-Klein, R., Groff, S.: Imipramine Side	-
	65
Schaeppi, U., see Stadnicki, S. W., et al	25
and the state of t	1
, ,	85
Schroeder, S. R., see Haig, J. R., et al	-
	89
Smith, H. J., see Jones, B. C., et al	37
Stadnicki, S. W., Schaeppi, U., Rosenkrantz, H., Braude, M. C.: Crude	
Marihuana Extract: EEG and Behavioral Effects of Chronic Oral Ad-	
ministration in Rhesus Monkeys	
Svensson, T. H., see Engel, J., et al	
Strömbom, U., see Engel, J., et al	75
Thompson, T., see Meisch, R. A	11
Frompson, 1., see Meisch, K. A	
Trinklenberg, J. R., see Darley, C. F., et al	
Premblay, E. C., see Jacob, J. J., et al	
Self-Administration of Morphine as a Measure of Addiction	59

Contents

Valatx, J. L., s	ee Carlier,	E., et al.																				20
Waldeck, B., se	ee Engel, J	., et al.																				275
Waters, W., see	e Harris, R	. T., et al.																				23
Wauquier, A.,	Niemegee	ers, C. J.	E.,	I	al	H	[.:]	Di	ffe	rei	ati	al	A	n	tas	tor	nis	m	1	y	
Naloxone o																						
Stimulation	1																					303
Webster, C. D.,																						
Wise, R. A., J	ames, L.:	Rat Eth	an	ol	In	tal	ke	: 1	Su	pp	re	ssi	on	b	y	I	ntr	ac	ra	ni	al	
Surgery and	d Facilitati	on by In	tra	cra	nie	118	Sti	m	ula	atio	on											179
Wyatt, R. J., se																						
Yerre-Grubstei	n, C., see B	egleiter,	H.,	et	al.																	15

Indexed in Current Contents

Subject Index

Acquisition 311 Addiction 359 Alcohol-drug interaction 159 Alcoholics 15 Alcoholism, animal models of 179 Alternation 45 Ambivalent behavior 45 Amino acids, free 87 Amphetamine 235 d-Amphetamine 199 Anticonvulsant 255 Antidepressants 1, 281, 365 -, tricyclic 351 Anti-psychotic-therapy 31 Anxiety, chronic 671 Artificial feeding 205 Autism 67 Automobile driving 159

B
Behavioral conflict 45
Biogenic amines 1
Blood pressure 265
Bovet-Gatti profiles 199
Brain 87
—, dopamine 235
—, hyperexcitability 15
—, norepinephrine 235
—, self-stimulation 303

-, serotonin-turnover 91

Cannabidiol 255 Cannabinol 255 Catalepsy 303 Catatonia 303 Catecholamines 1 Cerebrospinal fluid 7 Children 265 , hyperactive 185 Chimpanzees 127 Chlordiazepoxide 169 Chlorpromazine 249 Cholinergic 101 Cholinolytic-dose response relations 45 Chronic doses 127, 225 Clinical trials 281 Cobalt epilepsy 151 Cocaine 59, 341 Cognitive tests 159 Competition 37 Conflict behavior 169 Cortex slices 341 Cortisol 81 Cyclic 3-, 5-AMP 351

Delayed matching-to-sample 127
Depression 1, 59, 281
Desipramine 341
Dibenzepine 365
5,6-Dihydroxytryptamine 67
Dogs 189
Dopamine 1, 235, 331, 341
Dopaminergic 101
α-m-Dopa 205
L-Dopa 275
Dreaming 59
Drug interactions 255
Drug self-administration 23
Dyskinesia, tardive 101

EEG 59, 151, 225 Erythrocyte 81 Ethanol 91, 275 —, concentration 311 —, intake 179 —, preference 179 —, reinforcement 311 Exaggerated recovery 67 Exploration 249

F FLA 63 341 Forearm blood flow 109

Gas chromatography 31 Guinea pigs 199

H
H 77/77 331
Hallucinogens 189
Haloperidol 303
Heart rate 109
High dosages, imipramine 265
Hotplate 217
5-HT lesions 67
Human pharmacokinetics 31
Human subjects 7, 15, 31, 59, 81, 101, 109, 139, 159, 185, 265, 281, 323, 365, 371
6 Hydroxydopamine 235
Hyperactive children 185
Hypothalamic stimulation 179

Imipramine hydrochloride 265 Instrumental conditioning 359 Intoxication 15 Intragastric reinforcement 359 Intravenous route 23

L

Learning-state-dependent 139 Lithium 81 Locomotor activity 275 Long-acting drug 365

M

Manic depressive psychosis 81
Marihuana 127, 139, 225, 323
Medazepam 159
Medial forebrain bundle 303
Memory 127, 323
—, storage 139
Methylphenidate 185
α-Methyl tyrosine 235, 275
Mice 217, 255
MMPI 365
Monkeys, rhesus 23, 225
—, squirrel 37
Morphine 303, 359
Motility 331
Motor activity, general 249
Motor skills 159

N

N2-K ATPase 81
Naloxone 217, 303
Neuroleptics 331
Neurotransmission 189
Nialamide 87
Nicotine 109
N-methyl-4-Piperidyl MethylethynylGlycolate 45
Nociceptive reactions 217
Non-reinforcement 169
Noradrenaline 331, 341
Norepinephrine 1, 235

0

Ontogenesis 205 Ouabain sensitive K⁺ influx 81

P

Paradoxical sleep 205
Past usage, marihuana 323
Pentylenetetrazol 151
Perphenazine 31
Phenobarbitone 255
Phenothiazine neuroleptics 351
Phenytoin 255
Phosphodiesterase 351
Physostigmine 101
Pigs 169
Placebo 281
Polydipsia, schedule-induced 311
Ptosis 303
Pulse 265

0

Questionnaires 159 3-Quinuclidinyl benzilate 45

R

Rating Scales 281, 365
Rats 11, 45, 67, 87, 91, 151, 179, 199, 217, 235, 249, 303, 311, 331, 341, 351, 359
—, newborn 205
Rehearsal 139
REM sleep 151
Reserpine 87, 341
Reseroration 275
Rubidium 7

S

Safety, imipramine 265 Self-administration 359 drug 23 Self-stimulation 235 Serotonin 1, 91 Skin conductance 109 , temperature 109 Sleep 59, 185 Smoking 109 Social behavior 37 interaction 249 State dependency 323 Stimulants 59 Sudden death 265 Supersensitivity 67 Suppression 101, 275

T

Tardive dyskinesia 101

Aa THC 23, 37, 127, 139, 225, 255

Thymoleptics 331

Thyrotropin releasing hormone 1

Time estimation 109

T-Maze 45

Tolerance 91, 127, 225

Tranquillizers 159

Tricyclic antidepressants 351

Tryptamine 189

U

U-14624 235

V

Validity 281 Verbal learning 323

W

Whole blood concentrations 31 Withdrawal 15

Notes on Preparation of Illustrations

Selection of illustration material: In order to obtain the best results in reproduction, to avoid delays during production and hence unnecessary costs, we ask authors to note the following points when selecting and preparing illustration copy.

1. Half-tones (photographs, photomicrographs, X-rays, instrument traces etc.)

- Send only good, well-contrasted glossy prints of the original negative; prints should be trimmed at right angles; send contact copies of X-rays if these are not available, the actual X-ray films.
- Mark or trim off marginal portions which are not required (at right angles, please).
- State scale of reduction, if any, with due allowance for the format of the printed page (print area).
- Group figures into whole-page plates; see that they match in the proposed scale of reduction.
- With X-rays, in particular, mark the significant portions on the back of the copy, or on a cover sheet.
- Enter inscriptions, marker lines etc. neatly and in the appropriate size, either on the photograph itself or on a cover sheet.

2. Line drawings

- State final size of illustration, with due allowance for print area.
- The ideal is for drawings to be twice the final size and executed in indelible black ink.

Important points to note: thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas.


Words should be in upper and lower case characters (not block capitals).

Example showing the effect of reduction $\times \frac{1}{2}$.

ABCDEFGHIJKLMNOPQRSTUVWXYZ aabcdefghijklmnopqrstuvwxyzß 1234567890

(!:"+=-x?%)

ABCDEFGHIJKLMNOPQRSTUVWXYZ
aabcdefghijklmnopqrstuvwxyzß
1234567890
(!:;;;+=;x?%)



Examples showing the effect of reduction $\times 1/2$

Instructions to Authors

- 1. Papers will be published in English, French or German.
- 2. Authors should submit manuscripts together with two copies. The original illustration material (original drawings etc.) and two copies should be submitted together with the manuscript.
- 3. The text should be as **elear and concise** as possible. Both form and content of the paper should be carefully checked to exclude the need for corrections in proof. A charge will be made for changes introduced after the manuscript has been set in type.
- 4. Manuscripts should be typewritten, double-spaced, on one side of letter size paper and with wider margin on the left. The author should mark in the margin where figures and tables may be inserted. All pages should be numbered consecutively. Tables, footnotes and legends for illustrations should be typed (double-spaced) on separate pages. Use the metric system for text and figures.
 - 5. The first page should bear:
 - the title; the name(s) of the author(s); the name of the laboratory where the work was carried out; a running title of not more than 67 typewriter strokes; footnotes to the title (marked by asterisks).
- 6. Each paper should be preceded by a brief abstract in English concerned with the methods used and with the experimental results which should be presented in such a way that it is possible for the reader to assess their significance. It should be as short as possible and should not exceed 200 words.
- French and German articles should also have an English translation of the title.
- 7. Immediately following the abstract, some relevant key words should be supplied for subject indexing.
- 8. Articles dealing with original investigations should first state the problem concisely and arrange the material under Methods, Results, Discussion, References.
- 9. Footnotes should be kept to a minimum and numbered consecutively throughout the paper. Footnotes referring to the heading of the article are to be marked by asterisks.
- 10. The bibliography should include only work cited in the text. References should be listed alphabetically at the end of the paper as follows: journal papers—names and initials of all authors, full title, journal abbreviated in accordance with World Medical Periodicals, volume number, first and last page numbers, year in parentheses; books—names of authors, full title, edition, place, publisher, year. Examples:
- Latz, A., Bain, G. T., Kornetsky, C.: Attenuated effect of chlorpromazine on conditioned avoidance as a function of rapid acquisition. Psychopharmacologia (Berl.) 14, 23-32 (1960).
- Fisher, S., Cole, J. O., Rickels, K., Uhlenhuth, E. H.: Drug set interaction: The effect of expectation on drug response in outpatients. In: Neuropsychopharmacology. Bradley,
- P. B., Flugle, F., and Hoch, P., Eds., Vol. 3, pp. 149—156. Amsterdam: Elsevier 1964. Several publications by the same author or group of authors should be listed in chronological order; those that appear in the same year should be distinguished by the suffixes a, b, c etc. Citations in the text should be given in parentheses, e.g. (Beckman, 1958; Brown, 1963), except when the author's name is part of a sentence, e.g. "Man (1966) reported that..." When a paper with more than two authors is cited, all authors are named the first time, but subsequently only the first author, e.g. (Miller et al., 1963).
- 11. Figures should be separated from the text and numbered. They should be restricted to a minimum. Descriptions in captions should not be expanded in the text, nor should the same data be given in both graph and table form. Coloured or previously published illustrations are not usually accepted. Original drawings and graphs should be drawn in Indian ink with lines of uniform thickness. Where possible, figures should be grouped, bearing in mind maximum display area is 108×177 mm $(4^1/4 \times 7'')$. In general it should be assumed that the same degree of reduction will apply to all figures in the same paper. Inscriptions should allow for any reduction in scale—a capital letter should be about 1.8 mm high in the final version. If figures have to be redrawn for the blockmaker, this may cause considerable delay in publication. Photographs should be sharp, well-contrasted glossy prints at right angles. Authors should mark them with Letraset (Instant Lettering).

How many hours do you spend just looking for the articles you want to read?

□ 1 hr. per week□ 2 hrs. per week□ 3 hrs. per week

That's how many hours ASCA will save you.

If you're typical of most researchers, it's been shown that you spend up to one-fourth of your time just trying to keep abreast of advances in your field. And that includes many hours just looking for the articles. One, two, maybe three hours that ASCA can save you every week. For only \$3 a week.

ASCA (Automatic Subject Citation Alert) saves your time by finding these important articles for you. You simply tell us what subjects interest you. What authors. What research. And we'll prepare a personal computer profile for you which reflects your exact reading interests no matter how narrow or wide ranging they

may be. Then each week, ASCA's computer compares this profile with the articles in 3,500 leading scientific and technical journals and prints out a custom-tailored list telling you which articles to read and exactly where to find them.

But you'll never know how much time ASCA can save you until you try it. Give an ASCA information specialist a call (215-923-3300) and ask about our 13-week, \$39 introductory offer. Or fill in and mail the coupon below. Then think about what you're going to do with all the time you'll save.

C1974 ISI

Islam Institu	te for Scientific Info	rmation a, Pennsylvania 19106	SV-394
at \$39. Please of		oductory offer and try ASCA r is limited to residents of the d Mexico.)	
Position			
Organization			
		City	
Address			
Address State	Zip	Country	



